



# UIN-NVR3216

16-ch 2-SATA Ultra 265/H.265/H.264 NVR



## ■ Features

- Support Ultra 265/H.265/H.264 video formats
- 16-channel input
- Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile T
- Support 1-ch HDMI, 1-ch VGA
- HDMI and VGA simultaneous output
- Up to 4K resolution recording
- 2 SATA HDD up to 10 TB
- Support cloud upgrade





## ■ Specification

### Video/Audio Input

IP Video Input	16-ch
Two-way Audio Input	1-ch, RCA

### Network

Incoming bandwidth	160Mbps
Outgoing bandwidth	96Mbps
Remote Users	128
Protocols	P2P, UPnP, NTP, DHCP, PPPoE

### Video/Audio Output

HDMI/VGA Output	HDMI:4K (3840x2160)@30, 1920x1080p@60, 1920x1080p@50, 1600x1200@60, 1280x1024@60, 1280x720@60, 1024x768@60VGA:1920x1080p@60, 1920x1080p@50, 1280x1024@60, 1280x720@60, 1024x768@60
Audio Output	1-ch, RCA
Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
Synchronous Playback	16-ch
Corridor Mode Screen	3/4/5/7/9/10/12/16

### Decoding

Decoding format	Ultra265/H.265/H.264
Live view/Playback	8MP/6MP/5MP/4MP/3MP/1080p/960p/720p/D1/2CIF/CIF
Capability	1 x 4K@30, 1 x 6MP@30, 1 x 5MP@30, 2 x 4MP@30, 4 x 1080p@30, 8 x 720p@30, 16 x D1

### Hard Disk

SATA	2 SATA interface
Capacity	up to 10TB for each disk

### External Interface

Network Interface	1 RJ-45 10M/100M/1000M self-adaptive Ethernet Interface
USB Interface	Rear panel: 1 x USB2.0, Front panel: 1 x USB2.0

### General

Power Supply	12V DCPower Consumption: ≤ 7 W (without HDD)
Working Environment	-10°C~+ 55°C (+14°F~+131°F), Humidity ≤ 90% RH (non-condensing)
Dimensions (W×D×H)	380mm × 315mm ×53mm (15.0" × 12.4" × 2.1")
Weight (without HDD)	≤ 1.6Kg (3.53lb)

\* Product specifications may change without prior notice.






## UIN-NVR3216

16-ch 2-SATA Ultra 265/H.265/H.264 NVR


### ■ Available Model

UIN-NVR3216

### ■ Rear Panel



### ■ Dimension



Uin Technology Co., Ltd.

+86-871 63586112

[www.uin-tech.com](http://www.uin-tech.com)

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

