




UIN-D3704ENSF1-A9

4CH/1HDD/H.265 5MN non-real-time DVR



■ Features

- TVI / AHD / DVR / NVR / CVI five-in-one function, multi-mode input, support HD analog video encoding, support HD analog + HD network video input, support pure HD network video input.
- Easily implement network penetration through cloud services and remote monitoring in one step.
- Supports various mobile phone monitoring (iPhone Android).
- Support multiple web browsers (IE / Chrome / Firefox / Safari).
- Support VGA,HDMI output at the same time.
- Powerful network services (supporting DHCP, PPPOE, FTP, DNS, DDNS, NTP, UPNP, Email, etc.), complete supporting facilities (WEB, client, SDK), easily achieve interconnection and interoperability.
- Supports more than 20 languages and breaks the limits of national borders.
- Support humanoid function.
- Support STVI function.
- Support coaxial audio.
- Support Dana Cloud ,TS Cloud cloud platform customization.





UIN-D3704ENSF1-A9

4CH/1HDD/H.265 5MN non-real-time DVR

■ Specification

system	Compression format	H.265
	operating system	Embedded Linux operating system
	Input	4
	Preview	4*5MN@20fps4*1080p@25fps
video	Coding	4*5MN@12fps4*1080p@25fps
	Decoding	4*5MN@12fps1080p@25fps
	Channel mode	Support any channel mode combination(5MN analog + 1080P digital)
	VGA output	1080P
Audio	BNC output	Optional, not supported by default
	HDMI output	1080P
	Audio Input	1
	Audio output	1
Playback	Coaxial audio	4
	Two-way intercom	support
	Number of real-timerecording channels	4-way non-real-time
	Video mode	Timing, manual, motion detection
Backup	The number of simultaneousplayback	4
	Search mode	Point-in-time search, calendar search,event search, channel search
remote access	USB mobile harddisk, U disk	support
	USB DVD burner	support
storage	Format	H.26X、 AVI
	Browser	Supports multiple web browsers
Network	Client	Support VMS
	APP	Support for iPhone, Android
other	HDD number	1
	E-SATA	not support
power supply	Network port	10 / 100 Mbps Ethernet (RJ-45)
	Network protocol	TCP/IP, DHCP, DDNS, NTP, SMTP
remote control	remote control	support
	power supply	DC12V /2A

* Product specifications may change without prior notice.





UIN-D3704ENSF1-A9

4CH/1HDD/H.265 5MN non-real-time DVR

■ Available Model

UIN-D3704ENSF1-A9

■ Rear Panel

■ Dimension



Uin Technology Co., Ltd.

☎ +86-871 63586112

🏠 www.uin-tech.com

📍 4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

